

# Graphene Technology: Production, Assembly and Applications

15<sup>th</sup> & 16<sup>th</sup> July 2011, Cambridge UK

## List of Posters

**29**

*Selective-Area-Grown Graphene Transistor by Thermal Chemical Vapour Deposition Method*

M. Okai<sup>1</sup>, K. Tokumoto<sup>2</sup>, T. Kyotani<sup>2</sup>, M. Tokuda<sup>3</sup>, K. Tsutsui<sup>3</sup>, Y. Wada<sup>3</sup>,

<sup>1</sup>Hitachi Research Lab., Hitachi Ltd. (Japan), <sup>2</sup>Inst. of Multidisciplinary Research for Advanced Materials, Tohoku University (Japan), <sup>3</sup>Bio-Nano Electronics Research Center, Toyo University (Japan)

**32**

*A Chemists Method for Making Pure Clean Graphene*

S. Malik<sup>1</sup>, A. Vijayaraghavan<sup>1,2</sup>, R. Erni<sup>3</sup>, K. Ariga<sup>4</sup>, I. Khalakhan<sup>4</sup>, J. Hill<sup>4</sup>

<sup>1</sup>Karlsruhe Institute of Technology (KIT), Institute of Nanotechnology (Germany), <sup>2</sup>University of Manchester, School of Computer Science (UK), <sup>3</sup>Electron Microscopy Center, EMPA (Switzerland), <sup>4</sup>WPI-Center for Materials Nanoarchitectonics, NIMS (Japan)

**50**

*Brownian Dynamics Simulations of Dilute Graphene Solutions*

M. Green, Y. Xu

Department of Chemical Engineering, Texas Tech University (USA)

**80**

*Determination of the Quantum Capacitance of Gated Bilayer Graphene Using a Five-Nearest Neighbor Tight-Binding Model*

E. Moujaes, R. Nunes, M. Pimenta

Universidade Federal de Minas Gerais (Brazil)

**84**

*Mechanism of CVD Graphene Growth*

F. Ding

Hong Kong Polytechnic University (Hong Kong)

**85**

*Graphene Charge Detectors Meet Nanotube Quantum Dots*

S. Engels<sup>1</sup>, B. Terres<sup>1,2</sup>, C. Volk<sup>1,2</sup>, J. Dauber<sup>1</sup>, P. Weber<sup>1</sup>, S. Trellenkamp<sup>2</sup>, C. Stampfer<sup>1,2</sup>,

<sup>1</sup>JARA-FIT and II. Institute of Physics, RWTH Aachen (Germany), <sup>2</sup>Peter Grünberg Institute Forschungszentrum Jülich (Germany)

**96**

*Mechanism of Near-Field Enhancement In Two-Dimensional Systems*

R. Maximiano, A. Jorio, G. Cancado

Universidade Federal de Minas Gerais (Brazil)

**161**

*CVD Synthesis of Graphene Using Ethanol and Dimethyl Ether on Ni Foil*

B. Hou<sup>1</sup>, X. Chen<sup>1</sup>, E. Einarsson<sup>1,2</sup>, S. Chiashi<sup>1</sup>, S. Maruyama<sup>1</sup>

<sup>1</sup>Department of Mechanical Engineering, The University of Tokyo (Japan), <sup>2</sup>GCOE for Mechanical Systems Innovation, The University of Tokyo (Japan)

**163**

*Electrically Conductive Oxygen Barrier Film Formed by Graphene Layers*

K. Shin<sup>1</sup>, Y. Lan<sup>1,2</sup>, J. Han<sup>1</sup>

<sup>1</sup>Korea Electronics Technology Institute (Korea), <sup>2</sup>Myongji University (Korea)

**173**

*Threshold Behavior of Stimulated Terahertz Emission from Optically Pumped Graphene*

A. Satou<sup>1,2</sup>, S. Boubanga-Tombet<sup>1</sup>, V. Ryzhii<sup>2,3</sup>, T. Otsuji<sup>1,2</sup>,

<sup>1</sup>Tohoku University (Japan), <sup>2</sup>Japan Science and Technology (Japan) Agency, <sup>3</sup>University of Aizu (Japan)

**174**

*Electronic Structure of Graphene Adsorbed on (0001) Surfaces of SiO<sub>2</sub> Substrate*

T. Nguyen<sup>1,2</sup>, M. Otani<sup>1,2</sup>, S. Okada<sup>2,3</sup>

<sup>1</sup>National Institute of Advanced Industrial Science and Technology (Japan), <sup>2</sup>Japan Science and Technology Agency (Japan), <sup>3</sup>Graduate School of Pure and Applied Sciences, University of Tsukuba (Japan)

**175**

*Functionalization of Graphene Using Nitrogen Ion*

K. Kim<sup>1</sup>, S. Yang<sup>2</sup>, S. Park<sup>2</sup>, H. Jung<sup>3</sup>, B. Kim<sup>1</sup>, H. Lee<sup>2</sup>

<sup>1</sup>Beamline Research Division, Pohang Accelerator Laboratory (PAL) (Korea), <sup>2</sup>Department of Chemistry, Sookmyung Women's University (Korea), <sup>3</sup>Department of Physics, Daegu University (Korea)

**176**

*Interaction between two Graphene Sheets with a Turbostratic Orientational Relationship*

Y. Shibuta<sup>1</sup>, J. Elliott<sup>2</sup>

<sup>1</sup>Department of Materials Engineering, The University of Tokyo (Japan), <sup>2</sup>Department of Materials Science & Metallurgy University of Cambridge (UK)

**201**

*Magnetic Ordering of Adatoms on Graphene*

Y. Sherkunov, V. Cheianov, V. Falko

Lancaster University (UK)

**212**

*Valence Band of Graphite Oxide*

H. Jeong<sup>1</sup>, K. Kim<sup>2</sup>

<sup>1</sup>Physics department, Daegu University (Korea), <sup>2</sup>Beamline research division Pohang Accelerator Laboratory (Korea)

**250**

*Stacking Dependent Electronic Structure and Transport in Bilayer Graphene Nanoribbons*

R. Pandey<sup>1</sup>, X. Zhong<sup>1</sup>, S. Karna<sup>2</sup>

<sup>1</sup>Department of Physics, Michigan Technological University (USA), <sup>2</sup>US Army Research Laboratory (USA)

**252**

*Melamine for Stabilization of Graphene Sheets by Ball Milling Processes*

V. Leon<sup>1</sup>, M. Quintana<sup>2</sup>, M. Herrero<sup>1</sup>, M. Prato<sup>2</sup>, E. Vazquez<sup>1</sup>

<sup>1</sup>Departamento de Química Orgánica-IRICA, Facultad de Química, Universidad de Castilla-La Mancha (Spain), <sup>2</sup>Dipartimento di Scienze Farmaceutiche, Università degli Studi di Trieste (Italy)

**285**

*Graphene-Based Multifunctional Iron Oxide Nanosheets with Tunable Properties*

W. Choi<sup>1</sup>, H. Lee<sup>2</sup>, H. Goh<sup>2</sup>

<sup>1</sup>Department of Applied Chemistry, Hanbat National University (Korea), <sup>2</sup>Jeonju Center, Korea Basic Science Institute (KBSI) (Korea)

**286**

*Graphene Nanocomposite-Trigered Enhancing Growth of Metal Oxide: An Ideal Nanocatalyst for Removing Poison*

H. Lee<sup>1</sup>, B. Nam<sup>1</sup>, Y. Lee<sup>1</sup>, T. Bae<sup>1</sup>, W. Choi<sup>2</sup>

<sup>1</sup>Korea Basic Science Institute (Korea), <sup>2</sup>Hanbat National University (Korea)

**288**

*Direct Growth of Nanographene on Glass*

J. Choi, C. Lee,

Kyung Hee University (Korea)

**299**

*Interaction and Self-assembly Of Pyrene Molecules On Graphene Studied By Raman Spectroscopy*

H. Yang<sup>1</sup>, Y. Hernandez<sup>2</sup>, A. Eckmann<sup>3</sup>, X. Feng<sup>2</sup>, K. Mullen<sup>2</sup>, C. Casiraghi<sup>1,3</sup>

<sup>1</sup>Free University Berlin (Germany), <sup>2</sup>Max Planck Institute for Polymer Research (Germany), <sup>3</sup>School of Chemistry and Photon Science Institute, Manchester University (UK)

**300**

*Graphene Bubble as Adaptive Focus Lens*

T. Georgiou<sup>1</sup>, J. Zabel<sup>2</sup>, C. Casiraghi<sup>2,3</sup>, K.S. Novoselov<sup>1</sup>,

<sup>1</sup>School of Physics and Astronomy, University of Manchester (UK), <sup>2</sup>Physics Department, Free University (Germany), <sup>3</sup>School of Chemistry and Photon Science Institute, University of Manchester (UK)

**301**

*CO<sub>2</sub> Detection by Polyethyleneimine Functionalized Graphene Field Effect Transistors*

S. Sabri<sup>1</sup>, J. Guillemette<sup>1</sup>, A. Guermoune<sup>2</sup>, M. Sijaj<sup>2</sup>, T. Szkopek<sup>1</sup>

<sup>1</sup>McGill University (Canada), <sup>2</sup>Université du Québec à Montréal (Canada)

**323**

*Spectroscopic Characterization of Atomically Precise Graphene Nanoribbons*

Y. Hernandez<sup>1</sup>, H. Yang<sup>2</sup>, C. Thiele<sup>3</sup>, F. Pereira<sup>1</sup>, D. Donadio<sup>1</sup>, X. Feng<sup>1</sup>, C. Casiraghi<sup>2,4</sup>, R. Krupke<sup>3</sup>, K. Müllen<sup>1</sup>,

<sup>1</sup>Max Planck Institute for Polymer Research (Germany), <sup>2</sup>Department of Physics, Free University Berlin (Germany), <sup>3</sup>Institute for Nanotechnology, Karlsruhe Institute for Technology (Germany) , <sup>4</sup>School of Chemistry and Photon Science Institute, Manchester University (UK)

**334**

*Raman Spectroscopy of Graphane, Fluoro-graphene and Oxidized Graphene*

A. Felten<sup>1,2</sup>, A. Eckmann<sup>3</sup>, J. Pireaux<sup>4</sup>, R. Krupke<sup>2,5</sup>, C. Casiraghi<sup>1,3</sup>

<sup>1</sup>Physics department, Free University Berlin (Germany), <sup>2</sup>Institute of Nanotechnology, Karlsruhe Institute of Technology (Germany), <sup>3</sup>School of Chemistry and Photon Science Institute, Manchester University (UK)  
<sup>4</sup>Centre de Recherche PMR, University of Namur (France), <sup>5</sup>DFG-Center for Functional Nanostructures, Karlsruhe Institute of Technology (Germany)

**345**

*Electron Emission from Free-Standing Graphene Edge*

J. Tsai, T. Chu

Graduate Institute of Electro-Optical Engineering, Tatung University (Taiwan)

**360**

*Stretching a Bilayer Graphene*

O. Frank<sup>1,2</sup>, G. Tsoukleri<sup>2</sup>, J. Parthenios<sup>2</sup>, K. Papagelis<sup>3</sup>, I. Riaz<sup>4</sup>, R. Jalil<sup>4</sup>, K.S. Novoselov<sup>4</sup>, L. Kavan<sup>1</sup>, C. Galiotis<sup>2,3</sup>

<sup>1</sup>J. Heyrovsky Institute of Physical Chemistry of the AS CR, v.v.i. (Czech Republic), <sup>2</sup>FORTH / ICE-HTF (Greece), <sup>3</sup>Materials Science Department, University of Patras (Greece), <sup>4</sup>School of Physics and Astronomy, University of Manchester (UK)

**363**

*Characterizing Devices and Twisted Layers of Graphene by Resonance Raman Scattering*

M.A. Pimenta, A. Righi, S. Costa, D. Mafra, A. Coimbra, L. Moura, E. Moujaes, C. Fantini, H. Chacham, R. Nunes,

Departamento de Fisica – Universidade Federal de Minas Gerais (Brazil)

**365**

*Straining Graphene by CVD On Cu And Magnetotransport On Large Scale Graphene*

V. Yu, E. Whiteway, J. Maassen, M. Hilke,

McGill University, Center for the Physics of Materials (Canada)

**366**

*Ab initio study of optical properties of rippled graphene*

O. Sedelnikova, L. Bulusheva, A. Okotrub

Nikolaev Institute of Inorganic Chemistry SB RAS (Russia)

**383**

*Graphene for Next-Generation Electronics: Limits and Perspectives*

G. Fiori, G. Iannaccone, S. Bruzzone, A. Betti,

Dipartimento Ingegneria dell'Informazione, Università di Pisa (Italy)

**404**

*Highly Efficient Exfoliation and Sorting of Graphite flakes*

F. Bonaccorso<sup>1</sup>, G. Privitera<sup>1</sup>, F. Torrìsi<sup>1</sup>, V. Nicolosi<sup>2</sup>, T. Hasan<sup>1</sup>, G. Savini<sup>1</sup>, N. Pugno<sup>3</sup>,  
A.C. Ferrari<sup>1</sup>,

<sup>1</sup>Department of Engineering, University of Cambridge (UK), <sup>2</sup>Department of Materials, Oxford University (UK), <sup>3</sup>Department of Structural Engineering, Politecnico di Torino (Italy)

**408**

*Facile Functionalization of Graphene Sheets with Photoactive Groups via “Click” Chemistry*

H. Wang, K. Zhou, Y. Xie, J. Zeng, N. Chai, J. Li, H. Zhang

State Key Laboratory of Applied Organic Chemistry, College of Chemistry and Chemical Engineering, Lanzhou University (China)

**432**

*Electrically Switchable, Flexible Smart Windows Using Graphene-based Transparent Conductors*

T. Hasan, A. Dyadyusha, Z. Sun, F. Bonaccorso, F. Torrìsi, W. Richards, T. Kulmala, W. Wu, D. Chu, A.C. Ferrari,

Department of Engineering, University of Cambridge (UK)

**436**

*Graphene Xylophone*

H.S. Kim

Division of Quantum Phases and Devices, School of Physics, Konkuk University (Korea)

**439**

*Size-homogeneous Gold Nanoparticle Decorated on Graphene via MeV Electron Beam Irradiation*

Y. Kim, W. Song, C. Jeon, S. Kim, S. Lee, C. Park

BK21 Physics Research Division, Sungkyunkwan University (Korea)

**440**

*Direct Writing of Width-tailored Graphene Nanoribbon on SiO<sub>2</sub> via Focused Ion Beam-assisted Chemical Vapor Deposition*

W. Song, S. Kim, Y. Kim, S. Kim, C. Jeon, C. Park

BK21 Physics Research Division, Sungkyunkwan University (Korea)

**449**

*Quantum Conductance Study On Doped Armchair Carbon Nanoribbons: First-Principles Calculations*

E. Gracia-Espino<sup>1</sup>, F. López-Urías<sup>1</sup>, H. Terrones<sup>2</sup>, M. Terrones<sup>3,4</sup>

<sup>1</sup>Advanced Materials Department, IPICYT (Mexico), <sup>2</sup>Center for Nanophase Materials Sciences, Oak Ridge National Laboratory (USA), <sup>3</sup>Department of Physics, The Pennsylvania State University (USA), <sup>4</sup>Research Center for Exotic Nanocarbons (JST), Shinshu University (Japan)

**454**

*High Frequency Coplanar Graphene Waveguides on Low-loss Dielectric Substrates*

H.S. Skulason<sup>1</sup>, H. Nguyen<sup>2</sup>, A. Guermoune<sup>3</sup>, M. Siaj<sup>3</sup>, C. Caloz<sup>2</sup>, T. Szkopek<sup>1</sup>,

<sup>1</sup>Dept. of Electrical and Computer Engineering, McGill University (USA), <sup>2</sup>Poly-Grames Research Center, École Polytechnique de Montréal (Canada), <sup>3</sup>Département de Chimie, Université du Québec à Montréal (Canada)

**456**

*Graphene Nano-Electrodes for DNA Sequencing: an Ab initio Perspective*

J. Prasongkit<sup>1</sup>, Y. He<sup>2</sup>, A. Grigoriev<sup>1</sup>, B. Pathak<sup>1</sup>, S. Long<sup>2</sup>, Z. Huo<sup>2</sup>, M. Liu<sup>2</sup>, R. Ahuja<sup>2,3</sup>, R. Scheicher<sup>1</sup>

<sup>1</sup>Uppsala University (Sweden), <sup>2</sup>Institute of Microelectronics, Chinese Academy of Sciences (China), <sup>3</sup>Royal Institute of Technology (KTH) (Sweden)

**463**

*Graphene Logic Gates and Memories with Improved Current On/Off Ratio*

R. Sordan<sup>1</sup>, F. Traversi<sup>1</sup>, F. Nichele<sup>1</sup>, E. Stützel<sup>2</sup>, A. Sagar<sup>2</sup>, K. Balasubramanian<sup>2</sup>, M. Burghard<sup>2</sup>, K. Kern<sup>2,3</sup>,

<sup>1</sup>L-NESS Como, Politecnico di Milano (Italy), <sup>2</sup>Max-Planck-Institut für Festkörperforschung (Germany), <sup>3</sup>Institute de Physique des Nanostructures, EPFL (Switzerland)

**469**

*Energetics and Electronic Structures of Graphene Adsorbed on HfO<sub>2</sub> Surfaces*

K. Kamiya<sup>1,2</sup>, N. Umezawa<sup>3</sup>, S. Okada<sup>1,2</sup>

<sup>1</sup>Graduate School of Pure and Applied Sciences, University of Tsukuba (Japan), <sup>2</sup>Japan Science and Technology Agency, CREST (Japan), <sup>3</sup>Photocatalytic Materials Center, National Institute for Materials Science (Japan)

**504**

*Wideband Tunable, High-power Ultrafast Lasers Mode-locked By Graphene*

Z. Sun<sup>1</sup>, H. Yu<sup>2</sup>, D. Popa<sup>1</sup>, X. Lin<sup>2</sup>, T. Hasan<sup>1</sup>, F. Torrisi<sup>1</sup>, L. Zhang<sup>2</sup>, W. Hou<sup>2</sup>, J. Li<sup>2</sup>, A.C. Ferrari<sup>1</sup>,

<sup>1</sup>Department of Engineering, University of Cambridge (UK), <sup>2</sup>Institute of Semiconductors, Chinese Academy of Sciences (China)

**510**

*Selective Edge Functionalization of Graphene by Room Temperature Mild Plasma Treatment*

T. Kato<sup>1</sup>, L. Jiao<sup>2</sup>, X. Wang<sup>2</sup>, H. Wang<sup>2</sup>, X. Li<sup>2</sup>, L. Zhang<sup>2</sup>, R. Hatakeyama<sup>1</sup>, H. Dai<sup>2</sup>,

<sup>1</sup>Dept. of Electronic Engineering, Tohoku University (Japan), <sup>2</sup>Dept. of Chemistry and Laboratory for Advanced Materials, Stanford University (USA)

**511**

*Fabrication of Graphene-based Electronic Devices by Selective Electrochemical Reduction in Air*

J. Mativetsky<sup>1</sup>, A. Liscio<sup>2</sup>, E. Treossi<sup>2</sup>, A. Zanelli<sup>2</sup>, P. Samorì<sup>1</sup>, V. Palermo<sup>2</sup>,

<sup>1</sup>ISIS – CNRS, Université de Strasbourg (France), <sup>2</sup>ISOF- Consiglio Nazionale delle Ricerche (Italy)

**521**

*Epitaxial CVD Growth of Single-Layer Graphene Over Metal Films Crystallized on Sapphire and MgO*

H. Ago<sup>1</sup>, Y. Ito<sup>1</sup>, B. Hu<sup>1</sup>, Y. Ogawa<sup>1</sup>, C. Orofeo<sup>1</sup>, K. Kawahara<sup>1</sup>, M. Tsuji<sup>1</sup>, K. Ikeda<sup>1</sup>, S. Mizuno<sup>1</sup>, H. Hibino<sup>2</sup>,

<sup>1</sup>Kyushu University (Japan), <sup>2</sup>NTT Basic Research Laboratories (Japan)

**562**

*Multifunctional Composite Membranes Based on Graphene and Graphene Oxide Sheets*

G. Trakakis<sup>1</sup>, D. Tasis<sup>2</sup>, K. Papagelis<sup>2</sup>, C. Galiotis<sup>1,2</sup>

<sup>1</sup>Institute of Chem. Engin. and High Temp. Chem. Processes, FORTH (Greece), <sup>2</sup>Department of Materials Science, University of Patras (Greece)

**579**

*Synthesis and Characterization of PET/Expanded graphite Nanocomposites*

S. Paszkiewicz<sup>1</sup>, A. Szymczyk<sup>1</sup>, J. Mosnacek<sup>2</sup>, T. Ezquerro<sup>3</sup>, M. Soccio<sup>3</sup>, Z. Roslaniec<sup>1</sup>

<sup>1</sup>West Pomeranian University of Technology (Poland), <sup>2</sup>Polymer Institute of Slovak Academy of Sciences (Slovakia), <sup>3</sup>Instituto de Estructura de la Materia, CSIC (Spain)



**621**

*Ab initio quantum transport in defective and chemically-modified graphene*

J. Charlier

PCPM, Université Catholique de Louvain (Belgium)

**627**

*Large-grain Graphene Synthesis and Graphene-based Nanoelectronics*

C. Zhou

Department of Electrical Engineering, University of Southern California (USA)

**641**

*Spectroelectrochemistry of Single and Double Layered Graphene*

M. Kalbac<sup>1,2</sup>, F. Farhat<sup>2</sup>, J. Kong<sup>2,3</sup>, O. Frank<sup>1</sup>, P. Janda<sup>1</sup>, L. Kavan<sup>1</sup>, M.S. Dresselhaus<sup>2,4</sup>

<sup>1</sup>J. Heyrovský Institute of Physical Chemistry, Academy of Sciences (Czech Republic), <sup>2</sup>Department of Electrical Engineering and Computer Science, MIT (USA), <sup>3</sup>Department of Materials Science and Engineering, MIT (USA), <sup>4</sup>Department of Physics, MIT (USA)

**655**

*Plasmonic Enhanced Graphene Photodetector*

T.J. Echtermeyer<sup>1</sup>, L. Britnell<sup>2</sup>, S. Milana<sup>1</sup>, A. Lombardo<sup>1</sup>, R. Gorbachev<sup>3</sup>, A. Grigorenko<sup>2</sup>, A. Geim<sup>3</sup>, K.S. Novoselov<sup>2</sup>, A.C. Ferrari<sup>1</sup>,

<sup>1</sup>Department of Engineering, University of Cambridge (UK), <sup>2</sup>School of Physics & Astronomy, University of Manchester (UK), <sup>3</sup>Centre for Mesoscience & Nanotechnology, University of Manchester (UK)

**656**

*Graphene Coplanar Waveguides*

S. Awan<sup>1,2</sup>, A. Lombardo<sup>2</sup>, A. Colli<sup>1</sup>, A. Fasoli<sup>2</sup>, T.J. Echtermeyer<sup>2</sup>, T. Kulmala<sup>2</sup>, A.C. Ferrari<sup>2</sup>

<sup>1</sup>Nokia Research Centre Cambridge (UK), <sup>2</sup>Department of Engineering, University of Cambridge (UK)

**661**

*Ultrafast Non-Thermal Electron Dynamics in Single Layer Graphene*

D. Brida<sup>1</sup>, C. Manzoni<sup>1</sup>, G. Cerullo<sup>1</sup>, R. Nair<sup>2</sup>, A. Geim<sup>2</sup>, K.S. Novoselov<sup>2</sup>, S. Milana<sup>3</sup>, A. Lombardo<sup>3</sup>, A.C. Ferrari<sup>3</sup>

<sup>1</sup>IFN-CNR, Dipartimento di Fisica, Politecnico di Milano (Italy), <sup>2</sup>Department of Physics and Astronomy, University of Manchester (UK), <sup>3</sup>Engineering Department, University of Cambridge (UK)

*Microwave Impedance Measurements of Graphene and Graphene Oxide*

L. Hao<sup>1</sup>, J. Gallop<sup>1</sup>, M. Mattevi<sup>2</sup>, N. Klein<sup>2</sup>, L. Cohen<sup>2</sup>

<sup>1</sup>National Physical Laboratory (UK), <sup>2</sup>Imperial College (UK)