


Graphene based optoelectronics

July 7, 2016



Graphene based Schottky Photodetector device. Credit: Dr Ilya Goykhman, Cambridge Graphene Centre, University of Cambridge

As an important step towards graphene integration in silicon photonics, researchers from the Graphene Flagship have published a paper which shows how graphene can provide a simple solution for silicon photodetection in the telecommunication wavelengths. Published in *Nano Letters*, this exciting research is a collaboration between the University of Cambridge (UK), The Hebrew University (Israel) and John Hopkins University (USA).






The mission of the Graphene Flagship is to translate graphene out of the academic laboratory, through industry and into society. This broad and ambitious aim has been at the forefront of the choices made to direct the Flagship; it focuses on real problem areas where it can make a real difference such as in Optical Communications.

Optical Communications are increasingly important because they have the potential to solve one of the biggest problems of our information age: [energy consumption](#). Almost everything we do in everyday life consumes information and all of this information is powered by energy. If we want more and more information, we need more and more energy. In the near future, the major consumers of data traffic will be machine-to-machine communication and the Internet of Things (IoT).

To enable the IoT and the level of information it requires, current [silicon photonics](#) has a problem: it needs ten times more energy than we can provide. So, if we want this new, improved internet age, new technological, power-efficient solutions need to be found. This is why the drive to graphene-based optical communication is so important.

Over the last few years, optical communications have increased their viability over standard metal-based electronic interconnects. The current silicon-based photodetector used in [optical communications](#) has a major issue when it comes to detecting data in the near infrared range, which is the range used for telecommunications. The telecom industry has overcome this problem by integrating germanium absorbers with the standard silicon photonic devices. They have been able to make fully functioning devices on chips using this process. However, this process is complex.

In the new paper, graphene is interfaced with silicon on chip to make high responsivity Schottky barrier photodetectors. These graphene-based

Featured	Last comments	Popular
	Huge, once-hated fish now seen as weapon against Asian carp Jul 29, 2016 9	
	Mars gullies likely not formed by liquid water Jul 29, 2016 24	
	New fossil evidence supports theory that first mass extinction engineered by early animals Jul 29, 2016 3	
	Researchers apply quantum theory and Einstein's special relativity to plasma physics issues Jul 29, 2016 35	
	Research team develops ultrathin, transparent oxide thin-film transistors for wearable display Jul 29, 2016 0	

[more »](#)

Phys.org



+ 135,511

Phys.org on facebook

Like [Dáalta O'Fionnagáin](#) and 1.3M others like this.

Relevant PhysicsForums posts

LHC gets first stable beams in 2016 - exceeds design luminosity and all records 2 hours ago

Proton decay and ergodicity 14 hours ago

Where is four muons in this picture 20 hours ago

SU(5), 'Standard Model decomposition', direct sum etc. Jul 30, 2016

Question about LQCD and parallelization Jul 29, 2016

Instantaneous Lumi and Integrated Lumi Jul 28, 2016

[More from High Energy, Nuclear, Particle Physics](#)

photodetectors achieve 0.37A/W responsivity at 1.55µm using avalanche multiplication. This high responsivity is comparable to that of the Silicon Germanium detectors currently used in silicon photonics.

Prof. Andrea Ferrari from the Cambridge Graphene Centre, who is also the Science and Technology Officer and the Chair of the Management Panel for the Graphene Flagship stated; "This is a significant result which proves that graphene can compete with the current state of the art by producing devices that can be made more simply, cheaply and work at different wavelengths. Thus paving the way for graphene integrated silicon photonics."

Dr Ilya Goykhman, from the University of Cambridge, and the paper's lead author, said; "The vision here is for graphene to play an important part in enabling optical communication technologies. This is a first step towards this, and, over the next two years the aim of the wafer-scale integration and optoelectronics work-packages of the Flagship is to really make this happen".

Talking further about the Graphene Flagship and its collaborative approach to research, Prof Ferrari commented "Graphene can beat current [silicon](#) photonic technology in terms of energy consumption. The Graphene Flagship is investing a lot of resources into wafer-scale integration with the creation of a new Work Package. We have identified a vision, where graphene is the backbone for data communication, and we plan to have a telecommunication bank capable of transferring 4x28 GB/s by 2018. The research in this *Nano Letters* paper is the first step towards achieving that vision, the importance of which is clearly recognised by companies such as Ericsson and Alcatel-Lucent who have joined the Flagship to help develop it."

"We have shown the potential for the detector but we also need to produce a graphene-based modulator to have a full, low energy optical telecommunication system and the Flagship is working hard on this problem. The Flagship has collected the right people in the right place at the right time to work together towards this goal. Europe will be at the cutting edge of this technology. It is a great challenge, and a great opportunity for Europe, as there is such high added value to the devices it will be cost effective to manufacture the device in Europe - keeping the value of the technology within the European community," said Prof. Ferrari.

Explore further: Photonics: Graphene boosts on-chip light detectors

More information: Ilya Goykhman et al. On-Chip Integrated, Silicon–Graphene Plasmonic Schottky Photodetector with High Responsivity and Avalanche Photogain, *Nano Letters* (2016). DOI: [10.1021/acs.nanolett.5b05216](https://doi.org/10.1021/acs.nanolett.5b05216)

Journal reference: [Nano Letters](#)


20 shares

Provided by: Graphene Flagship

[feedback to editors](#)

19 Like Tweet

Related Stories



Photonics: Graphene boosts on-chip light detectors

September 16, 2013

The fabrication of high-performance light detectors—important for computers and mobile devices—using graphene integrated onto a chip is reported in three independent studies published online this week in *Nature*

Photonics.


Recommended for you



Scientists use oxygen 'scissors' to make freestanding single-atom silicon layer

August 1, 2016

Much like an overcooked dinner, the next so-called wonder material for next-generation electronics has been 'stuck to the pan' until researchers at the UOW's Institute for Superconducting and Electronic Materials (ISEM) came ...



Ultrafast graphene based photodetectors with data rates up to 50 GBit/s

September 3, 2014



Scientists detect thermal boundary that hinders ultracold experiments

July 28, 2016

Rice University scientists who analyze the properties of

1 comment

Adjust slider to filter visible comments by rank

Display comments: **newest first**

ericatpelson not rated yet Jul 07, 2016

Hi it looks like Graphene is the future. I found the article very interesting, although a little above my head? eric roberts

Please sign in to add a comment. Registration is free, and takes less than a minute. [Read more](#)

[Click here to reset your password.](#)

Sign in to get notified via email when new comments are made.

- Top
- Home
- Medical Xpress
- Search
- Help
- FAQ
- About
- Contact
- Phys.org Account
- Sponsored Account
- Newsletter
- RSS feeds
- Feature Stories
- Latest news
- Week's top
- Archive
- iPhone iPad Apps
- Blackberry App
- Android App & Widget
- Amazon Kindle
- Mobile version
- Connect